



4 PENGELOLAAN ENERGI & PENGOLAHAN LIMBAH RAMAH LINGKUNGAN

Amerta berkomitmen untuk menciptakan dapur yang ramah lingkungan dengan sistem pengelolaan energi terbarukan, penghematan air, dan pengolahan limbah yang efisien. Kami menggunakan alat penghemat energi dan fasilitas daur ulang minyak goreng untuk mengurangi dampak lingkungan.



PRODUCT CATALOGUE





RECEIVING AREA



SY-EDS4 ELECTRONIC SCALE

01

Dimensions:
220*160*85 m

Basic Functions:
Weighing/zeroing/tare/accumulation Chassis

Material:
Carbon steel sprayed plastic Working Environment

Temperature:
-10-40°C Working Environment Humidity s85%RH.

Power Supply:
AC220V or battery 6V4Ah

Display Screen:
20mm LED or LCD with backlight

Resolution:
Display 15,000

Internal Code:
1,000,000

Minimum Resolution:
0.5uV/d

Input Signal Range:
0-12. 8mV.

Excitation Voltage: 3.3VDC
Drive Capacity 43500 resistance strain sensors



SY-HPF15 HIGH PRESSURE FAUCET

03

Dimension:
430*370*160 m

Material:
304 stainless steel

Weight:
22kg

Pipe Length:
15M

Water Infet Port:
20.5mm

Outlet Port:
22mm



SY-RK412L STORAGE RACK

04

Material Thickness:
0.9 m

Dimension:
L 1200 * W 500 * H 1550 mm

Packing Dimension:
L1210 - W510 *H180 mm

5 Tiers
SKD design
Dimension can be customized Ladder Storage Rack



LEFT SINK WORKING TABLE

02

Dimension:
1500*700*850+100mm

Material:
Stainless Steel 201

SKD design
Dimension can be customized



SY-DCF2 (DISMOUNTING) STAINLESS STEEL FLAT CART

05

Dimension:
900*550*870mm

Packing Dimension:
930*580*100mm

Stainless steel thickness:
1mm

Tube:
@30*0.8mm

Board:
1.0mm

Round Tube






**SY-RB338
STEP-ON CONTAINER**

06

Size:
400*380*600mm
Capacity:
45.4L / 12Gal
Colour:
Light Yellow

Material:
HDPE (barrel body and inner barrel) and PP Inner barrel can be took out to clean and used alone



**SY-MWD-2
UV TUBE/LED ELECTRONICAL
MOS QUITO KILER
LAMPS-ENLARGE THE TUBE**


08

Product Size:
640*60*250 m
Power:
40W
Applicable Scope:
20-100M*

Voltage:
220V/50Hz
Light Color:
Purple

Material:
Steel mesh +PP shel +fireproof
Type:
Enhanced LED tube

Grid Voltage:
1200V-3000V
Battery Capacity:
Above 5001MAh
Charging Time:
2 hours




**SY-SK2
KNEE OPERATED
HAND WASH BASIN**

07

Dimension:
400*335*550 m
Packing Dimension:
430*380*590 mm
Material:
SUS 304
Thickness:
0.8mm

Faucet Press type
Price including faucet
Faucet-Press type



COLD ROOM

01

Dimension:
3400 ^ 5900*2300mm
Temperature:
0°C
Refrigerant:
R401A
Type:
Refrigerator
Compressor:
Copeland

Cooling way:
Ventilated (2HP, closed handpiece, Unit cooler DL 4-. 3/20)

Dimension:
3400*5900*2300mm
Temperature:
-18°C
Refrigerant:
R404A
Type:
Freezer
Compressor:
Copeland

Cooling way:
Ventilated (2HP, semi-closed handpiece, Unit cooler:DJ-1.9/12)



**SY-CRS16A
COLD ROOM SHELF**

02

Dimensions:
1525*455*1600 m
Material:
PP+Iron Pipe

**STORAGE
AREA**



MOISTURE-PROOF RACK

03

Dimension: 1200*500*300mm
Material: Stainless Steel 201

SKD design
 Dimension can be customized



SY-RB338 STEP-ON CONTAINER

01

Size: 400*380*600mm
Capacity: 45.4L / 12Gal
Colour: Light Yellow

Material: HDPE (barrel body and inner barrel) and PP Inner barrel can be took out to clean and used alone

VEGETABLE PREP AREA




SY-SK2 KNEE OPERATED HAND WASH BASIN

02

Dimension: 400*335*550 m
Packing Dimension: 430*380*590 mm
Material: SUS 304
Thickness: 0.8mm

Faucet Press type
 Price including faucet
 Faucet-Press type



SY-MWD-2 UV TUBE/LED ELECTRONICAL MOS QUITO KILER LAMPS-ENLARGE THE TUBE

04

Product Size: 640*60*250 m
Power: 40W
Applicable Scope: 20-100M*

Voltage: 220V/50Hz
Light Color: Purple

Material: Steel mesh +PP shel +fireproof
Type: Enhanced LED tube

Grid Voltage: 1200V-3000V
Battery Capacity: Above 5001MAh
Charging Time: 2 hours



SY-HPF15 HIGH PRESSURE FAUCET

03

Dimension: 430*370*160 m
Weight: 22kg

Pipe Length: 15M
Water Infet Port: 20.5mm
Outlet Port: 22mm





**SY-SK179
SINGLE SINK**

04


Net Weight:
23kg
Gross Weight:
26kg
Dimension:
900*700*850+100mm
Packing Dimension:
920*720*400mm
SKD design
Dimension can be customized



**SY-WT715B
WORKING TABLE**

05

Net Weight:
31kg
Gross Weight:
35kg
Dimension:
1500*700*850+100mm
Packing Dimension:
1520*720*150mm
SKD design
Dimension can be customized



DOUBLE SINK

07

Dimension:
1200*700*850mm
Material:
Stainless Steel 201
SKD design
Dimension can be customized



**SY-GTR10A G/N
PAN TROLLEY**

08

Layers:
10 layers
GN Pans:
10*1/1 Pans
Dimension:
380*550*1300mm
Packing Dimension:
1200*600*80mm
Stainless steel thickness:
1.0mm
Material:
SUS 201
Tube:
25*25*0.8mm
Pallet thickness:
0.8mm
Wheels:
4 inch PVC wheels
Single Line



**SY-WT715
WORKING TABLE**

06

Net Weight:
34kg
Gross Weight:
38kg
Dimension:
1500*700*850mm
Packing Dimension:
1520*720*1000mm
SKD design
Dimension can be customized



**SY-RB34C
RECYCLE ROUND
CONTAINER**

09

Size:
@557 mm*H693mm
Capacity:
121.1L
Colour:
Gray
Material:
PE





**SY-RB35
DOLLY FOR THE RECYCLE
ROUND CONTAINER**



10

Size:
@460mm*H164mm
Colour:
Gray
Material:
PE
With Wheel




**MEAT PREP
AREA**



**SY-RB338
STEP-ON CONTAINER**

01

Size:
400*380*600mm
Capacity:
45.4L / 12Gal
Colour:
Light Yelow
Material:
HDPE (barrel body and inner barrel) and PP Inner barrel can be took out to clean and used alone



**SY-MWD-2
UV TUBE/LED ELECTRONICAL
MOS QUITO KILER
LAMPS-ENLARGE THE TUBE**

11

Product Size: 640*60*250 m	Voltage: 220V/50Hz	Material: Steel mesh +PP shel +fireproof	Grid Voltage: 1200V-3000V
Power: 40W	Light Color: Purple	Type: Enhanced LED tube	Battery Capacity: Above 5001MAh
Applicable Scope: 20-100M*			Charging Time: 2 hours



**SY-SK2
KNEE OPERATED
HAND WASH BASIN**

02

Dimension:
400*335*550 m
Packing Dimension:
430*380*590 mm
Material:
SUS 304
Thickness:
0.8mm
Faucet Press type
Price including faucet
Faucet-Press type





**SY-WT715B
WORKING TABLE**

03

Net Weight: 31kg
Gross Weight: 35kg
Dimension: 1500*700*850+100mm

Packing Dimension: 1520*720*150mm
SKD design
 Dimension can be customized



DOUBLE SINK

05

Dimension: 1200*700*850mm
Material: Stainless Steel 201
SKD design
 Dimension can be customized

**SY-WT715
WORKING TABLE**

04



Net Weight: 34kg
Gross Weight: 38kg
Dimension: 1500*700*850mm

Packing Dimension: 1520*720*1000mm
SKD design
 Dimension can be customized

**SY-GTR10A G/N
PAN TROLLEY**

06



Layers: 10 layers
GN Pans: 10*1/1 Pans
Dimension: 380*550*1300mm
Packing Dimension: 1200*600*80mm
Stainless steel thickness: 1.0mm

Material: SUS 201
Tube: 25*25*0.8mm
Pallet thickness: 0.8mm
Wheels: 4 inch PVC wheels
Single Line





**SY-RB34C
RECYCLE ROUND
CONTAINER**

07

Size:
@557 mm*H693mm
Capacity:
121.1L

Colour:
Gray
Material:
PE

**SY-RB35
DOLLY FOR THE RECYCLE
ROUND CONTAINER**

08



Size:
@460mm*H164mm
Colour:
Gray
Material:
PE
With Wheel



**COLD
ROOM**



**CONNECTED
COLD ROOM**

01

Total Dimension:
5400*3700*2300mm
Chiller Dimension:
3500*2550*2300mm
Temperature:
0°C
Refrigerant:
R404A
Type:
Refrigerator

Compressor:
Copeland
Cooling way:
Ventilated (2HP, closed
handpiece, Unit
Cooler:
DL-4.3/20)

Freezer Dimension:
3500*2550*2300mm
Temperature:
1 - 8°C
Refrigerant:
R404A
Type:
Freezer

Compressor:
Copeland
Cooling way, Ventilated
(2HP, semi-closed
handpiece, Unit
Cooler:
DJ-1.9/12)



**SY-CRS16A|
COLD ROOM SHELF**

02

Size:
@460mm*H164mm
Colour:
Gray
Material:
PE
With Wheel





**SY-RB338
STEP-ON CONTAINER**

01

Size:
400*380*600mm
Capacity:
45.4L / 12Gal
Colour:
Light Yellow

Material:
HDPE (barrel body and inner barrel) and PP Inner barrel can be took out to clean and used alone

**RICE WASHING
AREA**



**SY-SK2
KNEE OPERATED
HAND WASH BASIN**

02

Dimension:
400*335*550 m
Packing Dimension:
430*380*590 mm
Material:
SUS 304
Thickness:
0.8mm
Faucet Press type
Price including faucet
Faucet-Press type



**SY-SK179
SINGLE SINK**

04

Net Weight:
23kg
Gross Weight:
26kg
Dimension:
900*700*850+100mm
Packing Dimension:
920*720*400mm
SKD design
Dimension can be customized



**SY-WT715B
WORKING TABLE**

05

Net Weight:
31kg
Gross Weight:
35kg
Dimension:
1500*700*850+100mm
Packing Dimension:
1520*720*150mm
SKD design
Dimension can be customized

**SY-HPF15
HIGH PRESSURE FAUCET**

03

Dimension:
430*370*160 m
Material:
304 stainless steel
Weight:
22kg
Pipe Length:
15M
Water Infet Port:
20.5mm
Outlet Port:
22mm



**SY-GTR10A G/N
PAN TROLLEY**

06

Layers:
10 layers
GN Pans:
10*1/1 Pans
Dimension:
380*550*1300mm
Packing Dimension:
1200*600*80mm
Stainless steel thickness:
1.0mm
Material:
SUS 201
Tube:
25*25*0.8mm
Pallet thickness:
0.8mm
Wheels:
4 inch PVC wheels
Single Line





COOKING AREA



SY-GTP115E-DN ELECTRICITY TILTING FLAT WOK

01

Voltage:
380V

Power:
9KW

Capacity:
115L

Temperature:/

Weight:/


Packing Dimension:/



SY-GBP 200E-DN| ELECTRICITY TILTTABLE SOUP POT

02

Voltage: 380V	Capacity: 200L
Power: 15KW	Temperature:/
Capacity: 200L	Weight: 1250*1050*1200mm
	Packing Dimension:/



SY-SH01 SMOKE HOOD

03

Dimension:
7500*1500*600mm

Material:
Stainless Steel 201

SKD design
Dimension can be customized
Two kinds of silent oil net are available ot choose



SY-RS48 ELECTRIC RICE STEAMER

04

Voltage: 380V/50Hz	Available Person: 120
Power: 42KW	Steam Time: 50 minutes
Pans Qty: 48	Weight/ Dimension: 1470*1040*1440mm
Rice Amount: 192kg	Packing Dimension:/





**SY-GTR10A G/N
PAN TROLEY**

05

Layers: 10 layers	Material: SUS 201
GN Pans: 10*1/1 Pans	Tube: 25*25*0.8mm
Dimension: 380*550*1300mm	Pallet thickness: 0.8mm
Packing Dimension: 1200*600*80mm	Wheels: 4 inch PVC wheels
Stainless steel thickness: 1.0mm	Single Line



**SY-WT715B
WORKING TABLE**

07

Net Weight: 31kg	Packing Dimension: 1520*720*150mm
Gross Weight: 35kg	SKD design Dimension can be customized
Dimension: 1500*700*850+100mm	



**SY-SK2712
DOUBLE SINK**

08

Net Weight: 26kg	Packing Dimension: 1220*720*400mm
Gross Weight: 29kg	SKD design Dimension can be customized
Dimension: 1200*700*850+100mm	



**SY-RK415P
STORAGE RACK**

06

Material Thickness: 0.9 m	SKD design Dimension can be customized Ladder Storage Rack
Dimension: L 1500*W500*H 1550 mm	
Packing Dimension: L1510*W510*H180m	
4 Tiers and up	



**SY-RB338
STEP-ON CONTAINER**

09

Size: 400*380*600mm	Material: HDPE(barrel body and inner barrel) and PP Inner barrel can be took out to clean and used alone
Capacity: 45.4L / 12Gal	
Colour: Light Yelow	





**SY-SK2
KNEE OPERATED
HAND WASH BASIN**

10

Dimension: 400*335*550 m
Packing Dimension: 430*380*590 mm
Material: SUS 304
Thickness: 0.8mm
Faucet Press type
Price including faucet
Faucet-Press type



**SY-HPF15
HIGH PRESSURE FAUCET**

11


Dimension: 430*370*160 m
Material: 304 stainless steel
Weight: 22kg
Pipe Length: 15M
Water Infet Port: 20.5mm
Outlet Port: 22mm



**SY-FWC11 (H)
SINGLE DOOR INSULATED
DINING CAR**

01

Voltage: 220V/50Hz
Power: 2.62KW
Temperature: 50°C - 85°C
Weight/
Dimension: 730*940*1820mm
Packing Dimension:/



**SY-MWD-2
UV TUBE/LED ELECTRICAL
MOS QUITO KILER
LAMPS-ENLARGE THE TUBE**

12

Dimension: 900*550*870mm
Packing Dimension: 930*580*100mm
Stainless steel thickness: 1mm
Tube: @30*0.8mm
Board: 1.0mm
Round Tube



**SY-GTR10A G/N
PAN TROLEY**

02

Layers: 10 layers
GN Pans: 10*1/1 Pans
Dimension: 380*550*1300mm
Packing Dimension: 1200*600*80mm
Stainless steel thickness: 1.0mm
Material: SUS 201
Tube: 25*25*0.8mm
Pallet thickness: 0.8mm
Wheels: 4 inch PVC wheels
Single Line





**SY-WT715
WORKING TABLE**



**SY-RB338
STEP-ON CONTAINER**



**SY-SK179
SINGLE SINK**

**RECYCLE CUTLERY
WASHING AREA**



**SY-WT718D-DM
WASTE COLLECTOR BENCH**

03

Net Weight:
34kg
Gross Weight:
38kg
Dimension:
1500*700*850mm
Packing Dimension:
1520*720*1000mm
SKD design
Dimension can be customized

04

Size:
400*380*600mm
Capacity:
45.4L / 12Gal
Colour:
Light Yellow
Material:
HDPE (barrel body and inner barrel) and PP Inner barrel can be took out to clean and used alone

01

Net Weight:
23kg
Gross Weight:
26kg
Dimension:
900*700*850+100mm
Packing Dimension:
920*720*400mm
SKD design
Dimension can be customized

02

Dimension:
1400*700*850mm
Material:
Stainless Steel 201
SKD design
Dimension can be customized



**SY-SK2
KNEE OPERATED
HAND WASH BASIN**

05

Dimension:
400*335*550 m
Packing Dimension:
430*380*590 mm
Material:
SUS 304
Thickness:
0.8mm
Faucet Press type
Price including faucet
Faucet-Press type



**SY-RB34C
RECYCLE ROUND
CONTAINER**

03

Size:
@557 mm*H693mm
Capacity:
121.1L
Colour:
Gray
Material:
PE





SY-RB35
DOLLY FOR THE RECYCLE
ROUND CONTAINER

Size:
@460mm*H164mm
Material:
PE
Colour:
Gray
Material:
With Wheel

04



**DOUBLE-HOLE WASTE
COLLECTOR BENCH**

Dimension:
1800*700*850+100mm
Material:
Stainless Steel 201
SKD design
Dimension can be customized

05



SY-RB338
STEP-ON CONTAINER

Size:
400*380*600mm
Capacity:
45.4L / 12Gal
Colour:
Light Yellow
Material:
HDPE (barrel body and inner barrel) and PP Inner barrel can be took out to clean and used alone

07



SY-SK2
KNEE OPERATED
HAND WASH BASIN

Dimension:
400*335*550 m
Packing Dimension:
430*380*590 mm
Material:
SUS 304
Thickness:
0.8mm
Faucet Press type
Price including faucet
Faucet-Press type

08



SY-DCC2B
STAINLESS STEEL
COLLECTING CART

Stainless Steel Two-Layer Dish Collecting Cart
Layers:
2 layers
Dimension:
850*450*900mm
Packing Dimension:
860*480*140mm
Stainless steel thickness:
1mm
Tube:
25*25*0.8mm
Board:
0.5mm
Middle Size
Square Tube

06



SY-HPF15
HIGH PRESSURE FAUCET

Dimension:
430*370*160 m
Material:
304 stainless steel
Weight:
22kg
Pipe Length:
15M
Water Inlet Port:
20.5mm
Outlet Port:
22mm

09





SY-RK415P
STORAGE RACK

10

Material Thickness:	4 Tiers and up
0.9 m	SKD design
Dimension:	Dimension can be
L 1500 * W500 * H 1550	customized Ladder Storage
mm	Rack
Packing Dimension:	
L1510*W510*H180m	



SY-MWD-2
UV TUBE/LED ELECTRONICAL
MOSQUITO KILER
LAMPS-ENLARGE THE TUBE

12

Product Size:	Voltage:	Material:	Grid Voltage:
640*60*250 m	220V/50Hz	Steel mesh +PP shel +fireproof	1200V-3000V
Power:	Light Color:	PC Light Source	Battery Capacity:
40W	Purple	Type:	Above 5001MAh
Applicable Scope:		Enhanced LED tube	Charging Time:
20-100M*			2 hours



SY-DCF2
(DISMOUNTING) STAINLESS
STEEL FLAT CART

11

Dimension:	Tube:
900*550*870mm	@30*0.8mm
Packing Dimension:	Board:
930*580*100mm	1.0mm
Stainless steel thickness:	Round Tube
1mm	



SY-HPF15
HIGH PRESSURE FAUCET

09

Dimension:	Pipe Length:
430*370*160 m	15M
Material:	Water Inlet Port:
304 stainless steel	20.5mm
Weight:	Outlet Port:
22kg	22mm




240L
GARBAGE CAN

02

Deterson:	Material:	Color:
737-5801050m	HDPE	Black, green, red, blue





STORAGE RACK (GARBAGE CAN DRAIN)

03

Dimension:
1500*500*1550mm
Material:
Stainless Steel 201
SKD design
Dimension can be customized



SY-MWD-2 UV TUBE/LED ELECTRONICAL MOS QUITO KILER LAMPS-ENLARGE THE TUBE

05

Product Size: 640*60*250 m	Voltage: 220V/50Hz	Material: Steel mesh +PP shel +fireproof	Grid Voltage: 1200V-3000V
Power: 40W	Light Color: Purple	PC Light Source	Battery Capacity: Above 5001MAh
Applicable Scope: 20-100M*		Type: Enhanced LED tube	Charging Time: 2 hours



SY-SK2 KNEE OPERATED HAND WASH BASIN

04

Dimension: 400*335*550 m	Faucet Press type Price including faucet
Packing Dimension: 430*380*590 mm	Faucet-Press type
Material: SUS 304	
Thickness: 0.8mm	

